REFERENCE

1. Akinori Iwashita, Kouji Hatton, Hirofumi Yamamoto, Junya Ishida, Yoshiyuki Kido,Kazunori Kamijo. (2005). Discovery of quinazolinone and quinoxaline derivatives as potent and selective poly(ADP-ribose)polymerase inhibitors: FEBS letters, 579,1389-1393.
2. Anja Luth,Werner Lowe . (2008). Synthesis of 4-(indole-3-yl0quinazolines- A new class of EGFR tyrosine kinase inhibitors: European Journal of Medicinal Chemistry, 43, 1478-1488.
3. Anne Beauchard , Alexis Jaunet , Laurence Murillo , Brigitte Baldeyrou , Amelie Lansiaux , Jean-Rene Cherouvrier , Lisianne Domon, Laurent Picot , Christian Bailly , Thierry Besson , Vale rie Thiery .(2009). Synthesis and antitumoral activity of novel thiazolobenzotriazole, thiazoloindolo[3,2-c]quinoline and quinolinoquinoline derivatives.: European Journal of Medicinal Chemistry, 44 , 3858–3865.
4. Aziz-ur-Rehman , Ambreen Fatima , Muhammad Athar Abbasi , Shahid Rasool , Abdul Malik , Muhammad Ashraf , Irshad Ahmad , Syeda Abida Ejaz.(2013). Synthesis of new N-(5-chloro-2-methoxyphenyl)-4-(5-substituted-1,3,4-oxadiazol-2-ylthio)butanamide derivatives as suitable lipoxygenase inhibitors :*Journal of Saudi Chemical Society,* 016: 156-174.
5. Azza T. Taher , Hanan H. Georgey , Hussein I. El-Subbagh .(2012). Novel 1,3,4-heterodiazole analogues: Synthesis and in-vitro antitumor activity: European Journal of Medicinal Chemistry, 47, 445-451 .
6. B Shivarama Holla, B Veerendra, M.K Shivananda, Boja Poojary.(2003). Synthesis characterization and anticancer activity studies on some Mannich bases derived from 1,2,4triazoles: European Journal of Medicinal Chemistry,2, 759–767
7. Cai-Jun Chen, Bao-An Song, Song Yang, Guang-Fang Xu, Pinaki S. Bhadury, Lin-Hong Jin, De-Yu Hu, Qian-Zhu Li, Fang Liu, Wei Xue, Ping Lu and Zhuo Chen.(2007). Synthesis and antifungal activities of 5-(3,4,5-trimethoxyphenyl)-2-sulfonyl-1,3,4-thiadiazole and 5- (3,4,5-trimethoxyphenyl)-2-sulfonyl-1,3,4-oxadiazole derivatives: Bioorganic & Medicinal Chemistry, 15, 3981–3989.

8. Dalip Kumar , Gautam Patel , Angela K. Chavers , Kuei-Hua Chang , Kavita Shah.(2011). Synthesis of novel 1,2,4-oxadiazoles and analogues as potential anticancer agents: European Journal of Medicinal Chemistry, 46, 3085-3092.
9. Deniz sahin, Hacer bayrak, Ahmet demirbas¸ Neslihan demirbas¸ Sengul Alpay Karao˘Glu(2012). Design and synthesis of new 1,2,4-triazole derivatives containing morpholine moiety as antimicrobial agents: Turk J Chem 36, 411 – 426.
10. Dr A. K.Wahi, Mrs. Arti Singh, Triazole- Recent Development and Biological Activities(2011): Asian Journal of Biochemical and Pharmaceutical Research, 2, 193-205.
11. G. Jhansi Rani, M. Vinoth and P. Anitha.(2011). Molecular docking studies on oxidosqualene cyclise with 4-piperidinopyridine and 4-piperidinopyrimidine asits inhibitors: Journal of Bioinformatics and Sequence Analysis, Vol. 3(3), 31-36.
12. Gakh Andrei A., Andrey V. Sosnov , Mikhail Krasavin , Tam Luong Nguyen , Ernest Hamel(2013). Identification of diaryl 5-amino-1,2,4-oxadiazoles as tubulin inhibitors: The special case of 3-(2-fluorophenyl)-5- (4-methoxyphenyl)amino-1,2,4-oxadiazole: Bioorganic & Medicinal Chemistry Letters, 23, 1262–1268.
13. Gauri Shukla, Anjani K Tiwari, Vinay K Singh. (2008). Effect of a novel series of benzothiazoloquinazolones on epidermal growth factor receptor(EGFR) and biological evaluations : Chem Biol Drug Des, 72, 533-539.
14. H R Tsou, N Manuya,B D Johnson.(2011). 6-substituted-4(3-bromophenylamino)quinazolnes as putative irreversible inhibitors of the epidermal growth factor receptor(EGFR) and human epidermal growth factor receptor (HER-2) tyrosine kinases with enhanced antitumour activity: Journal of Medicinal Chemistry, 16:44(17), 2719-2734.
15. Harinder Kaur, Harmandeep Kaur, Amit Chawla, U.S. Baghel and R.K. Dhawan.(2014). A review: Synthesis schemes of antimicrobial and anticancer thiazole derivatives: Journal of Global trends in Pharmaceutical sciences, 5(2),1684-1691
16. Hirohika Hasegawa, Masami Muraoka, Kazuki Matsui, Atsuyuki Kajima.(2007). Bioorganic and Medicinal Chemistry Letters: 13, 3471-3475.

17. Ivan H.R. Tomi , Alaa H.J. Al-Qaisi , Zyad H.J. Al-Qaisi.(2011). Synthesis, characterization and effect of bis-1,3,4-oxadiazole rings containing glycine moiety on the activity of some transferase enzymes: Journal of King Saud University, 23:,23–33.
18. Jason B Garrison, Yeng-Jeng Shaw, Ching-Shih Chen, Natasa Kyprianou.(2007). Novel quinazoline based compounds impair prostrate tumorigenesis by targeting tumour vascularity: Cancer Research,67, 11-44.
19. Jie Fu, Ying Yang, Xue-Wei Zhang, Wen-Jun Mao, Zhi-Ming Zhang, Hai-Liang Zhu.(2010). Discovery of 1H-benzo[d][1,2,3]triazol-1-yl 3,4,5-trimethoxybenzoate as a potential antiproliferative agent by inhibiting histone deacetylase: Bioorganic & Medicinal Chemistry, 18, 8457–8462.
20. Jie Ren, Lin Wu, Wen Qun Xin, Xin Chen , Kun Hu(2012). Synthesis and biological evaluation of novel 4b-(1,3,4-oxadiazole-2-amino)- podophyllotoxin derivatives: Bioorganic & Medicinal Chemistry Letters, 22, 4778–4782.
21. Joanna Matysiak, and Opolski(2006). Synthesis and proliferative activity of N-substituted 2-amino-5-(2,4-dihydroxyphenyl)-1,3,4-thiadiazole: Bioorganic medicinal chemistry,14(13),4483-9.
22. Jumat Salimon , Nadia Salih , Emad Yousif , Ayad Hameed , Ayad Kreem(2010). Synthesis and pharmacological evaluation of 9(10H)-acridone bearing 1,3,4-oxadiazole derivatives as antimicrobial agents: Arabian Journal of Chemistry, 3, 205–210.
23. Jumat Salimon, Nadia Salih, Ayad Hameed,Hiba Ibraheem, Emad Yousif.(2010). Synthesis and Antibacterial Activity of Some New 1,3,4- Oxadiazole and 1,3,4-Thiadiazole Derivatives: Journal of Applied Sciences Research, 6(7), 866-870.
24. Khaled Abouzid, Samia Shouman.(2008). Design, Synthesis and *invitro* antitumour activity of 4-amino quinoline and 4-aminoquinazoline derivatives targeting EGFR tyrosine kinase: Bioorganic and Medicinal Chemistry ,16, .7543-7551
25. Krzysztof Sztanke, Tomasz Tuzimski, Jolanta Rzymowska, Kazimierz Pasternak, Martyna Kandefer-Szerszen.(2008). Synthesis, determination of the lipophilicity, anticancer and antimicrobial properties of some fused 1,2,4-triazole derivatives: European Journal of Medicinal Chemistry, 43, 404-419.

26. Manjunatha K., Poojary Boja, Lobo Prajwal L., Fernandes Jennifer, Suchetha Kumari N(2010). Synthesis and biological evaluation of some 1,3,4-oxadiazole derivatives, European Journal of Medicinal Chemistry: 45 ,5225-5233.
27. Mario. A. Pagano, Jenny Bain, Zygmunt Kazimierczuk, Stefania Sarno, Maria Ruzzene, Giovanni Di Maira, Matthew Elliott, Andrzej Orzeszkl, Giorgio Cozza, Flavio Meggio and Lorenzo a. Pinna(2008). The selectivity of inhibitors of protein kinase ck2 an update: Biochem. Journal, 415, 353–365.
28. Michael a. lea, Monali Sura and Charles Desbordes(2004). Inhibition of Cell Proliferation by Potential Peroxisome Proliferator-activated Receptor (PPAR) Gamma Agonists and Antagonists: Anticancer Research, 24, 2765-2772.
29. P Mani Chandrika,T Yakaiah, B , V Sridhar, G Venugopal, J Venkateshwara Rao (2009). Synthesis leading to novel 2,4,6-trisubstituted quinazoline derivatives their antibacterial and cytotoxic activities against THP-1,HL-60 and A 375 cell lines: Indian Journal of chem,Vol 48B,840 -847.
30. P.Selvam, Dhani Ram Lakra and Christophe Pannecouque. (2010). Synthesis, antiviral and cytotoxicity studies of some novel N-substituted benzimidazole derivatives: International Journal of Pharmaceutical sciences and Research, Vol.1(9), 105-109.
31. Prabhat K Upadhyay, Pradeep Mishra(2015). Design, synthesis and antifungal evaluation of novel substituted 1, 3, 4-oxadiazoles, and 1, 3, 4-thiadiazoles: International journal of Pharmacy and Pharmaceutical Sciences, 7,466-470.
32. Ramazani Ali, Khoobi Mehdi, Torkaman Azar, Zeinali Nasrabadi Fatemeh, Hamid Forootanfar, Mojtaba Shakibaie, Mandana Jafari, Alieh Ameri, Saeed Emami, Mohammad Ali Faramarzi, Alireza Foroumadi, Abbas Shafiee(2014). One-pot, four-component synthesis of novel cytotoxic agents 1-(5-aryl-1,3,4-oxadiazol-2-yl)-1-(1H-pyrrol-2-yl)methanamines: European Journal of Medicinal Chemistry, 78, 151-156.
33. S Jantova, L Cipak, D Slamenova, V Horvatd, P Ranko.(2003). Induction of cytotoxicity and ssDNA breaks by 9-bromo-5-morholino-tetrazolo[1,5-c] quinazoline in tumour cells cultured *invitro:* Toxicology *in vitro,* 17, 457-463.
34. Salahuddin, Mohammad Shaharyar, Avijit Mazumder, Mohamed Jawed Ahsan(2014). Synthesis, characterization and anticancer evaluation of 2-(naphthalen-

1-ylmethyl/naphthalen-2-yloxymethyl)-1-[5-(substitutedphenyl)-[1,3,4]oxadiazol-2-ylmethyl]-1H-benzimidazole: Arabian Journal of Chemistry, 7, 418–424.

35. Sarah T Al-Rashood, Ihsan A Aboldahab, Mahmoud N Nagi, Laila A Abouzaid, Alaa A M Abdel Aziz(2006). Synthesis, dihyrofolate reductase inhibition, antitumour testing and molecular modeling study of some new 4(3H)-quinazolinone analogs: Bioorganic and Medicinal Chemistry, 14, 8608-8621.
36. Sevgi Karakus, Ufuk Coruh, Bilgehan Barlas-Durg, Ezequiel M. Vazquez- Lopez, Suna Ozbas-Turan, Julide Akbuga, Sevim Rollas(2010). Synthesis and cytotoxic activity of some 1,2,4-triazoline-3-thione and 2,5- disubstituted-1,3,4-thiadiazolederivatives : Marmara Pharmaceutical Journal, 14, 84-90.
37. Shang Li Cao, Yu- Yang Jiang, Yu-Ping Feng, Shi Ying Liu, Guo-Yu Ding,Run-Tao Li. (2005). Synthesis and *invitro* antitumour activity of 4(3H)-quinazoline derivatives with dithiocarbamate side chains: Bioorganic and Medicinal Chemistry Letters, 15,1915-1917.
38. Supriyo Saha, Subhasis Banerjee and Swastika Ganguly.(2010).Molecular Docking Studies of Some Novel Hydroxamic Acid Derivatives: International Journal of ChemTech Research, 2, 932-936.
39. Vesna Dimova, Nada Perisic- Janjic(2009). QSAR study by 1,2,4-triazoles using physicochemical descriptors: Macedonian Journal of Chemistry and Chemical Engineering, Vol.28, 79-89.
40. Yandong Zhang,Zhe Chen,Yijia Lou,Yongping Yu. (2009). 2,3-disubstituted 8-arylamino-3h-imidazo[4,5]quinazolines:A novel class of antitumour agents: European Journal of Med.Chem, 44, 448-452.
41. Zhang Kai, Wang Peng, Xuan Li-Na, Xiao-Yun Fu, Fen Jing, Sha Li, Yu-Ming Liu, Bao-Quan Chen.(2014). Synthesis and antitumor activities of novel hybrid molecules containing 1,3,4-oxadiazole and 1,3,4-thiadiazole bearing Schiff base moiety: Bioorganic & Medicinal Chemistry Letters, 24, 5154–5156.